




SES TELEPHONE ENTRY, MODEL SG-2 WITH DK 6100 OPERATOR

NETWORK INTERFACE
[SUPPLIED BY PHONE CO.
USUALLY ON HOUSE NEAR
THE ELECTRIC METER]

INSIDE THE
NETWORK INTERFACE




16 VOLT TRANSFORMER
(CAN BE PLUGGED IN AT
HOUSE OR IN A WEATHER-
PROOF CABINET NEAR
GATE SITE.



USE SHIELDED
DIRECT BURIAL
TWO CONDUCTOR
16 GA.
BETWEEN TRANS-
FORMER AND
THE TEL-ENTRY


USE SHIELDED
DIRECT BURIAL
"TWO PAIR"
PHONE LINE
BETWEEN
NETWORK
INTERFACE &
THE SG-2

DOOR KING 6100 TERMINALS




CABLE A

CABLE C



DOOR KING
OPERATOR



MASTER


SLAVE

USE SHIELDED DIRECT
BURIAL TWO CONDUCTOR 16
GA. BETWEEN THE GTO CABINET
AND THE TEL-ENTRY

TO 16 VOLT
TRANSFORMER

CABLE B

SG 2 TEL-
ENTRY



COPPER PLATED
GROUND STAKE-
MUST BE USED

NOTE: THIS IS A BASIC SCHEMATIC FOR AN SG-2 AND A DK 6100. PLEASE SEE THE SES TEL- ENTRY MANUFACTURER'S SET OF INSTRUCTIONS FOR OTHER OPTIONS AND THE PROGRAMMING INSTRUCTIONS FOR THE TELEPHONE SYSTEM.

TERMINAL
STRIP IN
SG-2 UNIT